



CANOPY

ACOUSTIC CEILING SYSTEMS

TECHNICAL DATA SHEET / 2026

PRODUCT FAMILY

**Soft Rectangle**

CAN-SR-01

MAX 1300 x 2700 mm

**Soft Square**

CAN-SS-02

MAX 1300 x 1300 mm

**Regular Rectangle**


CAN-RR-03

MAX 1300 x 2700 mm

**Regular Square**

CAN-RS-04

MAX 1300 x 1300 mm

**Triangle**

CAN-TR-05

CUSTOM / WITHIN 1300 x 2700 mm

**Circle**

CAN-CR-06

MAX DIA. 1300 mm

**Octagon**

CAN-OC-07

MAX 1300 mm

**Hexagon**

CAN-HX-08

MAX 1300 mm

TECHNICAL DATA

THICKNESS & MASS

9 mm	12 mm	18 mm	20 mm	24 mm
1600 g/m ²	2400 g/m ²	3500 g/m ²	3000 g/m ²	3700 g/m ²

MAXIMUM SHEET

1300 x 2700 mm

SUSPENSION

Steel suspension wire

GEOMETRY

Custom within sheet limits

LARGE FORMAT

Upper aluminium reinforcement

CARE & MAINTENANCE



ROUTINE CARE


- Remove dust periodically with a soft dry or lightly damp cloth.
- Use low suction and a soft brush attachment when vacuuming.
- Avoid prolonged direct sunlight and direct heat exposure.

SPOT CLEANING


- Treat spills and marks as soon as practical.
- Use warm water with mild soap and blot gently.
- Do not scrub or saturate the panel.
- Allow the surface to dry with adequate ventilation.

COLOURS


MONO




MONO ECO



FELTLINE FLAT



FELTLINE HEATHERED



PROJECT & TECHNICAL CONTACT

CONTACT

T +90 544 945 64 05

M +90 539 910 98 80

E info@unicaacoustic.com

W unicaacoustic.com

ADDRESS

Mustafa Kemal Mah. 2118 Cad. Maidan Is Merkezi, 4C Blok, No: 140,
Cankaya / Ankara, Turkiye